LANDSCAPE SUPPLIES GUIDE

Landscape Lighting | Patio Lighting | Holiday Lighting Water Gardening | Outdoor Kitchens | Decorative Panels Outdoor Speakers | Outdoor Fire Features | Fountains Artificial Turf | Drainage | Contractor Tools Landscape Essentials | Agronomics

AUTOMATIC SUPPLY Outdoor Living | Lighting | Irrigation

AskAutomatic.com | 800-842-3911



WE MADE A PLAN.

To develop and sustain long term relationships with customers and to add value to doing business with us. When you shop with us, you are getting:

- Effective, well-stocked locations
- The largest and best-trained sales team in the region
- A team that's dedicated to understanding each of our customers' goals & challenges
- Convenient & fast delivery with our fleet of trucks

When selecting a supplier to buy from, be sure to consider the Automatic Supply difference.

LANDSCAPE LIGHTING	4	DECORATIVE PANELS	22	DRAINAGE	28
PATIO LIGHTING	11	OUTDOOR SPEAKERS	23	TOOLS	30
HOLIDAY LIGHTING	12	OUTDOOR FIRE FEATURES	24	LANDSCAPE NECESSITIES	32
WATER GARDENING	14	FOUNTAINS	26		34
	20	ARTIFICIAL TURF	27	IRRIGATION PRODUCT LINES	35

TABLE OF CONTENTS

OUTDOOR LIGHTING

Accent Lights, Path Lights, Hardscape Lights, In-Ground, Color-Changing, Transformers, Patio Lighting, Holiday Lighting, and more Outdoor lighting is one of the fastest growing categories in the landscape industry - it gets dark every night! We believe that we have the best-stocked warehouses anywhere plus the most knowledgeable sales staff. We carry lights, transformers, and accessories from industryleading brands ensuring that your next lighting installation will be a success.

KICHLER



VARIABLE LUMEN OUTPUT **ACCENT LIGHT - SMALL**

- Output can be switched with magnet tool from 2W to 3.5W or 5.0W, equivalent to 10, 20, and 35W halogen.
- Standard in 3000K warm white, 2700K pure white by special order
- AZT Architectural bronze standard, other colors available

16015 Small 15° Spot 16016 Small 35° Flood 16017 Small 60° Wide Flood



VARIABLE LUMEN OUTPUT ACCENT LIGHT - LARGE

- Output can be switched with magnet tool from 5.25W to 8W or 12W
- Standard in 3000K warm white, 2700K pure white by special order

16018 Large 15° Spot 16019 Large 35° Flood 16020 Large 60° Wide Flood



INTEGRATED LED ACCENT LIGHT (GEN 1.5)

- Industry-leading integrated fixture is even more efficient and precise than previous versions
- Standard in 3000K
- AZT architectural bronze standard, other colors available

16150 10° Spot, 2.5W 16151 35° Flood, 2.5W 16152 60° Wide Flood, 2.5W 16153 10° Spot, 3.5W 16154 35° Flood, 3.5W 16155 60° Wide Flood, 3.5W 16156 10° Spot, 7W 16157 35° Flood, 7W **16158** 60° Wide Flood, 7W











CAST BRASS HAMMERED ROOF PATH LIGHT

- 4 watt warm white
- TZT tannery bronze
- 15871TZT

SIDE MOUNT PATH LIGHT

AZT architectural bronze, 20" height x 6" diameter

CENTER MOUNT PATH

height x 6" diameter

15815AZT30R

LIGHT





15826AZT27R

AZT architectural bronze, 22.25"

TRADITIONAL PATH LIGHT "LLENA"

- 4 watt, 3000k warm white
- AZT architectural bronze, 22.5" height x 6.25" diameter

15820AZT30R

DOME PATH LIGHT

- 4 watt, 3000k warm white
- AZT architectural bronze, 22" height x 8.25" diameter
- 15810AZT30R



Adjustable fixture can pivot 180° for direct to surface install and pivot 270° when installed with bracket

16100 3" length, 1 LED, 0.25 watts 16101 6" length, 3 LED, 0.75 watts 16102 12" length, 6 LED, 1.5 watts 16103 18" length, 9 LED, 2.5 watts



KICHLER



CENTENNIAL BRASS

A family of matching high-grade fixtures value-priced for the professional. These fixtures use drop-in LED lamps, purchased separately.

15483 MR-8 Accent Light

15517 MR-16 Louvered Body Brass Accent Light

15475 MR-16 12V Brass Accent Light

15476 Wall-Washer / Flood Light

15478 Brass 21"H x 6.75" Path Light

15480CBR Brass 23.25" H x 8.5" diameter Path Light

15490CBR Recessed Niche Light, Plain Lens, uses MR-8 light

15492CBR Recessed Niche Light, Louvered Lens Cover, uses MR-8 lamp

15491CBR Recessed Niche Light, Cowl Cover, uses MR-8 Lamp



DECK LIGHT

• 3.75" width, 2.25" height, 2.5 watts

15765AZT30R



HAMMERED ROOF DECK LIGHT

• 3.5" width, 2.25" height, 2.5 watts

15763TZT27R



CENTER MOUNT PATH

- 5" width, 2.5 watts
- 15782AZT30R



PRO SERIES STAINLESS STEEL TRANSFORMER

- Commercial grade toroid core and coil submersible rating
- Pluggable timer and photocell outlets
- Lifetime Warranty

15PR100SS 100 watt 15PR200SS 200 watt 15PR300SS 300 watt 15PR600SS 600 watt 15PR900SS 900 watt 15PR1200SS 1200 watt



MR-16 WARM WHITE LED LAMPS

18126 285 lumens, 15° beam, 20W equivalent 18128 285 lumens, 25° beam, 20W equivalent 18130 285 lumens, 40° beam, 20W equivalent 18132 285 lumens, 60° beam, 20W equivalent 18134 365 lumens, 15° beam, 35W equivalent 18136 365 lumens, 25° beam, 35W equivalent 18138 365 lumens, 40° beam, 35W equivalent 18140 365 lumens, 60° beam, 35W equivalent



T-3 WM WHITE LED LAMPS

18201 285 lumens, 10W equivalent **18207** 215 lumens, 20W equivalent



T-5 WM WHITE LED LAMP

18199 85 lumens, 10W equivalent **18205** 215 lumens, 20W equivalent



S-8 WEDGE LED LAMP

18203 215 lumens, 20W equivalent



LANDSCAPE LICHTING



5011 INTEGRATED LED ACCENT LIGHT 12V

- Adjustable internal brightness control: 2W to 16W, 190 lumens to 1045 lumens
- Adjustable beam angle: 10° to 60°
- Easily tailor light output on-site to exact needs



5111 INTEGRATED LED ACCENT LIGHT 12V

- Adjustable internal brightness control: 1W to 7W, 45 lumens to 365 lumens
- Adjustable beam angle: 10° to 50°



5211 INTEGRATED LED GRAND ACCENT LIGHT 12V

- Adjustable internal brightness control: 15W to 33W, 740 lumens to 1,000 lumens
- Adjustable beam angle: 15° to 60°



5021 INTEGRATED LED WALL WASHER LIGHT 12V

- Adjustable internal brightness control: 2W to 16W, 190 lumens to 980 lumens
- Patent pending optical design (even coverage at 15° upwards, 50° x 80°)



5121 INTEGRATED LED MINI WALL WASHER LIGHT 12V

• Adjustable internal brightness control: 1W to 8W, 80 lumens to 420 lumens



TIKI PATH LIGHT

22" high, 6.5 watts604130B2



PATH AND AREA LIGHT

• 22" high, 7.5" diameter, 5.8 watts 601130BZ



CANOPY LIGHT

• 22" high, 8.5" diameter, 6.5 watts 605130BZ



INTEGRATED LED IN-GROUND LIGHT 12V

• 3" diameter, bronze finish

503130BZ



LED DECK & PATIO LIGHT

• 3 3/8" diameter, 60 lumens, 2.8 watts

302130BZ



SURFACE MOUNTED STEP LIGHT

• 5" diameter, 55 lumens, 4 watts

450130BZ



12V OUTDOOR TAPE LIGHTING

- 10' long; submersible up to 5 feet
- May be tied into any 12V landscape lighting system
- Flexible linear lights may be cut to desired length at the end of a run

810130BK







WAC MAGNETIC TRANSFORMERS

 Taps for 12V, 13V, 14V, and 15V. Knock outs for power and photocell connections. 3-prong outlet for timer. Outdoor rated.

9150-TRN-SS 150 Watt 9300-TRN-SS 300 Watt 9600-TRN-SS 600 Watt



203130SS SUBMERSIBLE IN-GROUND

• 4 watt, 2" diameter, includes a detachable mounting bracket for use in or out of water



5511 UNDERWATER SPOT LIGHT

- Cast brass construction, machined brass thumb screw, IP68 rated, suitable for continuous immersion, under water in depths up to 3'
- 30' lead wire included



HARDSCAPE LIGHTS -INTEGRATED LED

- Dual CCT and integral brightness control
- Hardscape easily detaches from capstone bracket after installation

71822730BZ 18" length, 8.5 watts **71222730BZ** 12" length, 7.0 watts **70622730BZ** 6" length, 4.0 watts **70322730BZ** 3" length, 1.4 watts



TIMERS

7C-112 24 Hour Mechanical Timer used inside a transformer

DTC-200L Astronomical Timer: Auto adjusts based on sunrise and sunset



BRILLIANCE WI-FI SMART SOCKET 2

- Designed specifically to upgrade standard transformers to Wi-Fi control
- Provides remote control of lighting system from anywhere in the world
- Remote on/off, timer mode, and astronomic mode from mobile device

Additional products and options are available. Contact your Automatic Supply representative for more information.





LIGHTING WIRE

14-2-250 14 gauge lighting wire - 250' Spool

16-2-250 16 gauge lighting wire - 250' Spool

12-2-250-C 12 gauge lighting wire - 250' Spool

10-2-250-C 10 gauge lighting wire - 250' Spool

WIRE SPLICES

20230 DBR/Y-600 King Direct Bury Splice

61125 Small wire splice - black and white wire nut used for 14, 16, and 18 gauge wire

61235 Medium wire splice - black and gray wire nut used for 12, 14, 16, and 18 gauge wire



FXLuminaire



NP ACCENT LIGHT

- Die-cast aluminum
- Available in 3LED, 6LED, 9LED and dim / color



PB WALL WASH

- Die-cast aluminum or brass
- Available in 1LED or 3LED and dim / color



LC WALL WASH

- Largest wall-wash up light
- Projects a broad spectrum of light
- Available in 1, 3, 6 and 9 LED



TM PATH LIGHT

- Aluminum
- 5" diameter, 15" height
- Available in 1LED, 3LED and dim / color



PL PATH LIGHT

- Aluminum
- 6" diameter, 15" height
- Available in 1LED, 3LED and dim / color



- LED under-the-cap hardscape wall light
- Available in 1LED and dim / color



DE DOWNLIGHT

- Create both ambiance and function, and mimic the effects of natural moonlight.
- Available in 3LED, 6LED, 9LED and dim / color



RS ACCENT LIGHT

- Die-cast aluminum
- Interchange lamps to create custom effects



LUXOR CONTROL CENTER

- 150 watt or 300 watt
- Offers lighting control with zoning, dimming, and RGBW color creation capabilities, plus optional Wi-Fi control using Luxor® technology



LUXOR CUBE MODULE

With the Luxor CUBE, the Luxor controller can now zone and dim other brands of low voltage fixtures.



EX TRANSFORMER

150 watt economical, low-wattage power and control option for LED lighting projects



DX TRANSFORMER

The only digital facepack-controlled transformer with astronomical timing and event-based programming capabilities pre-installed, so there is no need for plug-in accessories such as timers and photocells. Available in 150 or 300 watt.





UNIQUE LIGHTING SYSTEMS®



OBSERVER DOWN LIGHT

- Brass hanging fixture ideal for trees, gazebos, and other structures
- 2W max. LED lamp / 20W max. halogen



PROBE UP LIGHT

- Ideal when up lighting is challenged by a small installation area
- 8W max. LED lamp / 35W max. halogen



GAMMA RAY UP LIGHT

- Proprietary E-Shield[™] process provides 5 distinct layers of protection against corrosion
- 8W max. LED lamp / 35W max. halogen



- Adjustable three-tier settings give maximum design flexibility by creating 3 different beam spreads with one fixture
- 2W max. LED lamp / 20W max. halogen



LANCER 4 PATH LIGHT

- Solid brass construction
- 2W max. LED lamp / 20W max. halogen



ISO STEP LIGHT

- Now "serviceable", allowing for trouble-free light engine replacement
- 2 lumen options (40 and 140 lumen models) in both 2700K and 3000K color



VANGUARD 5 RECESSED STEP LIGHT

• Extendable mounting plate secures the fixture while still allowing face plate adjustments



GEMINI PUCK LIGHT

• 2W max. LED lamp / 20W max. halogen



F200 WELL LIGHT

- Dual cut body allows for surface flush or angled installation options
- 13W max. LED lamp / 50W max. halogen



STARBURST WALL WASHER

- Features an unprecedented dual socket mount system allowing you to install a vertical MR16 or a horizontal lamp for wall washing
- 8W max. LED lamp / 50W max. halogen



STELLAR WALL WASHER

• 2W max. LED lamp / 20W max. halogen



RADIANCE WALL WASHER

- Able to illuminate planter areas, short retaining walls, step landings or any other area needing a soft glow
- 2W max. LED lamp / 20W max. halogen



I-FORCE TRANSFORMER

 Available power ratings 360 - 1120 Watts





IGHTING



BL200-BT

- Color-changing cast brass bullet light, aged brass finish
- 4-8 Wattage, 15-350 Lumen Output, 40° beam spread



BT-RE RANGE EXTENDER

- 5 db external antenna .
- 10 foot wire lead, 16 AWG, . brown, pre-connected to the fixture for easy wire connection



BL200-LED5W

- Cast brass bullet light, aged brass finish
- 5 watt MR16 LED Lamp included



BL400-BT

- Highest lumen output available
- 4-8 Wattage, 15-900 Lumen Output, 40° beam spread



FL50-BT

- Color-changing cast brass flood light, aged brass finish
- 2-5 Wattage, 15-350 Lumens, 120° beam spread"



FL200-LED5W

- Brass flood light, aged brass finish
- 5 watt MR16 LED lamp included



UL100-BT

- Color-changing underwater brass fixture, aged brass finish
- 4-8 Wattage, 15-350 Lumens, 40° beam spread



AREA LIGHT HATS

Brass area light hat, aged brass finish

AL100





ALSTEM18-LED

- Area Stem Light .
- 18" Brass stem, aged brass finish
- Area light hats sold separately



WL100-LED-8W

- ABS Grate, black
- 8 watt PAR36 LED lamp included



SL25-LED

- Integrated LED surface mount step light
- 7 watts, 570 lumens



SL75-LED

- Integrated LED step light
- LED strip, 8 chips, 3 watts, 300 lumens



IT150

•

- 150 watt intelligent transformer •
- Bluetooth ready, phone app driven



IT300

- 300 watt intelligent transformer ٠
- Bluetooth ready, phone app driven



- **ITIMER**
- Astronmical timer
- 120V Input, 15 amp capacity

Additional products and options are available. Contact your Automatic Supply representative for more information.

AUTOMATIC SUPPLY







PATIO LIGHTING









COMMERCIAL GRADE LIGHTING WIRE

- Heavy-duty wire offers E26 sockets spaced every 24" to create impressive lighting displays for events and facilities of all types
- Available in 48' and 96' lengths; length includes 1' lead and tail
- String across pergolas, shade structures or beams
- Suspended soft edge socket design with 4" drop provide better illumination and weather-tight seal.
- Included is an eyelet for attaching optional additional support
- Available in 12-volt or 120-volt

LED S14 CLASSIC "SIGN LAMP" SHAPE BULBS

- Long-life, energy efficient COB LED with 10% the consumption of incandescent
- 1 Watt per bulb
- Bulbs can be used in new installations or in retrofitting an old system
- Available in 12 volt or 120 volt
- Available in warm white, pure white, or warm white amber tinted

INSTALLATION KITS

PP-KIT-E26S-C For structural installations

- (25) 3/16" Ceiling hooks
- (50) 3/8" Cable clamps & screws
- **PP-KIT-E26S-C** For suspended cable installations
- (110') 1/16" Galvanized cable (7x7)
- (10) 2 5/8" x 1/4" Lock bolts for masonry •
- (10) 1/4" Eye nuts
- (6) 10/24" Eye/Hook Turnbuckles
- (60) 4" Zip ties

 - (12) 1/16" Adjustable cable rope clamps
- (10) 1/4" Eye screws
- Additional products and options are available. Contact your Automatic Supply representative for more information.







Making Seasons Bright!

Holiday decorating is one of the fastest growing professional services offered by irrigation contractors according to several national trade publications. Demographic trends like an aging population, two-income career families and a desire for a hassle-free lifestyle have driven the demand for professional decorating services at residential, commercial and institutional sites. We offer high quality, contractor grade lights, displays, greenery and accessories. What better way to add some additional revenue to your late Autumn and early Winter?





LED BULBS & CUSTOM CUT WIRE

These C7 and C9 bulbs have patented SMD Led Technology which means bulbs shine brighter & last longer! They are 40% brighter, sealed waterproof bulbs with a 50,000 hour life span. Install them with custom cuttable wire and your customer will be thrilled with their custom holiday design.



LED MINI STRANDS

LED Christmas light sets are the most popular light product on the market and we carry all the sizes and shapes you need. Holiday Bright Lights' patented, sealed bulbs are fully submersible and won't fail in the rain or snow. Mini strands are available M5, 5MM, C6 and M8 bulbs.



PRE-LIT GREENERY

Holiday Bright Lights offers three main categories of foliage that will be sure to please any customer: Mixed Noble, Noel, and Oregon Fir. Each category offers a different look and includes wreaths, garland, and teardrops.



LED LIGHT LINKS

Light Links will give any roofline an elegant holiday look. With many holiday designs to choose from, there are options to fit any style. Each Light Link has a four foot length, which makes them perfect for connecting end to end for easy decorating.





OUTDOOR LIVING

Water Gardening, Outdoor Kitchens, Decorative Outdoor Panels, Outdoor Speakers, Outdoor Fire Features

Outdoor living continues to gain popularity in the landscape industry as people continue to spend more time at home and on "staycations". There are lots of ways to help your customers upgrade their outdoor living areas including water gardens, outdoor kitchens and more. We are committed to providing you the highest quality products and will help make sure you provide the highest quality installation.









COLOR CHANGING FALLS

Illuminated waterfalls are the most versatile way to add light and water to your landscape or hardscape.

- Designed to install easily in any wall, indoors or out, whether stone, brick, block, stucco, tile or wood
- Generous weir openings resist clogging and create a thicker, fuller sheer for extra color and less wind deflection

CC06 6" width **CC12** 12" width **CC24** 24" width **CC36** 36" width



BASIN KIT FOR COLORFALLS

- Provides everything you need to install Colorfalls, WaterWalls and Spillways
- Includes basin, Splash Mat, pump, plumbing, PVC glue, adjustment valve and Auto Fill, all in one box

CFBASINKIT12 Contains TW2400 pump & works with the CC06 and CC12 color changing falls

CFBASINKIT24 Contains TW2400 pump and works with the CC24 color changing falls

CFBASINKIT36 Contains TW3700 pump and works with the CC36 color changing falls



PS3900 SKIMMER

• 6" weir width; 3,900 gph pump flow rate



PS4600 SKIMMER

• 6" weir width; 4,000 gph pump flow rate



PS7000 SKIMMER

 9" weir width; 7,000 gph pump flow rate



BF1900 FILTER FALLS

• 19" spillway; 2,500 to 4,000 gph pump flow rate

-		100 -25	
-			
- 1	·		
1			
- 4			

BF2600 FILTER FALLS

• 26" spillway; 4,000 to 6,000 gph pump flow rate



BF3800 FILTER FALLS

 38" spillway; 6,000 to 8,000 gph pump flow rate



SP1900 FAST FALLS

• 20.5" x 17" x 10.25"; 19" waterfall width; 4,000 gph pump flow rate



SP2600 FAST FALLS

27.5" x 17" x 10.25"; 26" waterfall
width; 6,000 gph pump flow rate









PV1800 PUMP BASIN

• 18" x 24"; 10,000 gph pump flow rate



PV18EXT EXTENSION FOR PUMP BASIN

• 6" weir width; 4,000 gph pump flow rate



PV2300 PUMP BASIN

• 23" x 30"; 15,000 gph pump flow rate



PV23EXT EXTENSION FOR PUMP BASIN

• 21.5" x 19.5" x 17"



FB3200 FOUNTAIN BASIN

• 23" x 13"; 2,000 gph pump flow rate; 32 gallon capacity



FB4600 FOUNTAIN BASIN

• 46" x 13"; 4,000 gph pump flow rate; 67 gallon capacity



ECORISE20 FOR BOULDER PLACEMENT

• 20" x 20" x 3"; Maximum load 3,000lbs



ECOBLOX WATER STORAGE MATRIX

Capacity 31.5 gallons



NBC 24 BASALT COLUMN

 10"x24" column for use with FB2400 basin and FP400 pump



NBC 30 BASALT COLUMN

 10"x30" column for use with FB3200 basin and FB500 pump



NBC 36 BASALT COLUMN

 10"x36" column for use with FB4600 basin and FP500 pump



NBCX3 COLUMN KIT

 Contains all three columns for use with FB4600 basin, FBKIT3 and TT2000 pump



SS SERIES STAINLESS SPILLWAYS

SS12 12" Stainless Steel Spillway, projection: 9-10" at 18"H & 1,200gph 1.5"" FIPT

SS24 24" Stainless Steel Spillway, projection: 9-10" at 18"H & 2,400gph 1.5" FIPT

SS36 36" Stainless Steel Spillway, projection: 9-10" at 18"H & 3,600gph 1.5" FIPT



TR215CV CHECK VALVE

Works with both 1.5" and 2" hose



CV30 CHECK VALVE

• Works with 3" hose







WSM-S MANTOVA WALL

• Projection: 14-16" at 18"H & 600gph



WSR-O RAVENNA WALL SPOUT

• Projection: 14-16" at 18"H & 600gph



WSV-S VERONA WALL SPOUT

Projection: 14-16" at 18"H & 600gph



WSO-O OLIVETT WALL

Projection: 14-16" at 18"H & 600gph



MD SERIES MAG DRIVE PUMPS

Magnetic induction pumps provide years of service in the demanding conditions of smaller ponds, waterfalls and fountains. Better flows at higher heads, a longer warranty and are easier to service.

MD550 550 gph, 40 watts MD1000 1000gph, 90 watts MD1500 1500gph, 165 watts



TRION3 IONIZER

Electric water clarifier. Releases copper ions to reduce algae growth without need for chemicals



TT SERIES PUMPS

Asynchronous pumps combine the efficiency of Magnetic Induction with the power of Direct Drive geometry, keeping operating and ownership costs to a minimum. Pumps more water for less watts regardless of water chemistry. Compact design fits the tightest pump chambers. Excellent resistance to fouling.

TT2000 Max pump flow: 2,640 gph **TT3000** Max pump flow: 3,000 gph **TT4000** Max pump flow: 4,490 gph **TT5000** Max pump flow: 5,150 gph **TT6000** Max pump flow: 6,600 gph **TT7500** Max pump flow: 7,650 gph **TT9000** Max pump flow: 8,800 gph



VARIABLE SPEED PUMP CONTROLLER

TWVSC For use with TT-Series Pumps up to 800 watts; includes 2.4Hz Remote Control



AF1000 WATER FILL VALVE

Maintains a consistent water level in all Atlantic Skimmers, Pump Vaults, Colorfalls and Fountain Basins



LF1100 FALLSFOAM

12oz. can DIY Black Waterfall Foam with applicator straw

LF1310 PRO FOAM GUN



LF1300 FALLS FOAM

29oz. can Professional Black Waterfall Foam



Professional Foam Gun (composite, for use with 29 oz. cans)











BOXED POND LINER

Convenient Pre-cut Pump Liner for features of all sizes and types. Trim to the exact size you need.

LI810B 8'x10' boxed liner LI1010B 10'x10' boxed liner LI1015B 10'x15' boxed liner LI1515B 15'x15' boxed liner LI1520B 15'x20' boxed liner LI1525B 15'x25' boxed liner LI2020B 20'x20' boxed liner LI2025B 20'x25' boxed liner



ROLLED POND LINER

LIR1050 10'x50' LIR2050 20'x50'



TR3WAY THREE WAY DIVERTER

• Manifold for using hoses; For use with FB4600



FBKIT3 FOUNTAIN BASIN KIT

• For use with TW1200-2400 and MD1000 & 2000 pumps. Contains 3 way diverter



FBKIT1 FOUNTAIN BASIN KIT

• For use with TW250-750 and FP200-500



PD300 POND DE-ICER

Allows oxygen to diffuse into pond water otherwise sealed off by ice, while toxic carbon dioxide and methane from decomposing organics diffuse out. Efficient heating element only draws 300 watts.





POND NETTING

Netting keeps out leaves and other wind blown debris for a clean pond in the fall and spring

PN1015 10'x15' **PN1520** 15'x20' **PN2030** 20'x30'



FLEXIBLE PVC PIPE

FH1525 1.5"x25' PVC Black Flex Pipe **FH225** 2"x25' PVC Black Flex Pipe **FH250** 2"x50' PVC Black Flex Pipe **FH350** 3"x50' PVC Black Flex Pipe



KINK FREE PIPE

KF75100 3/4"x100' PVC Kink-Free Tubing



GARDEN & POND LED LIGHTING

Atlantic Lighting products are all fully compatible with current and previous generations

- WWCS2 2-watt spotlight
- WWCS4 4-watt spotlight
- WWFL2 2-watt fountain light
- WWRL5 5-watt fountain light



Atlantic





BIOMAX - WEEKLY BIOLOGICAL CONDITIONER

Beneficial bacteria metabolize organic waste and neutralize odors. Contains billions of potent microbial strains plus enzymes. Improved ecological balance lowers nitrates that promote unwanted plant growth.

WTBM1 1lb / treats 16,000 gallons WTBM2 2lbs / treats 32,000 gallons WTBM6 6lbs / treats 96,000 gallons



BIOMAX+ ENHANCED BIOLOGICAL CONDITIONER

Liquid bacterial formula naturally removes organic debris, ammonia and nitrates. Atlantic's BioMax+ balances pond ecosystem, enhances bacterial activity and seeds biological filters.

WTBM16 16oz / treats 6,000 gallons WTBM32 32oz / treats 12,000 gallons WTBM1G 1 gal / treats 48,000 gallons



REVIVE - DECHOLRINATOR WITH STRESS REDUCER

Dechlorinators remove fish-toxic chlorine, chloramines, ammonia and heavy metals in tap water. Atlantic's ReVive with stress reducer thickens the slime coat of Goldfish and Koi in times of stress.

WTRV16 16oz / treats 3,200 gallons WTRV32 32oz / treats 6,400 gallons



CLARITYBLAST - COMBO POND CLEANER

Pond Cleaner cleans waterfalls, streams, ponds, plant pots and filters. Atlantic's ClarityBlast is an all-natural proprietary treatment with bacteria and enzymes. Keeps pond water and hard surfaces clean by removing attached organics.

WTCB1 1lb / treats 8,000 gallons WTCB2 2lb / treats 16,000 gallons WTCB6 6lb / treats 48,000 gallons



ECOSOLV LIQUID POND CLEANER

Water clarifiers clear discolored water in ponds, streams, waterfalls and bubblers. Atlantic's EcoSolv extra strength formula is the fastest water clarifier on the market.

WTES16 16oz / treats 9,600 gallons WTES32 32oz / treats 19,200 gallons WTES1G 1 gal / treats 76,800 gallons



ECOKLEAN OXY POND CLEANER

Oxy pond cleaners quickly remove attached organics and algae stains from rocks, waterfalls and streambeds. Atlantic's EcoKlean fast dissolving granules lift debris to the surface with the power of pure oxygen.

WTEK1 1lb / treats 400 sq. ft. **WTEK2** 2lb / treats 800 sq. ft. **WTEK10** 10lb / treats 4,000 sq. ft.



REFRESH COLORFALLS & FOUNTAIN TREATMENT

Fountain treatments keep fountains clean and free from stains, sludge and odors.

WTRF16 16oz / treats 1,600 gallons WTRF32 32oz / treats 3,200 gallons







AQUASURGE® PUMPS

 Aquasurge 2000 - for 2,000 gal pond Aquasurge 3000 - for 3,000 gal pond Aquasurge 4000 - for 4,000 gal pond Aquasurge 5000 - for 5,000 gal pond



AQUASURGEPRO PUMPS

Adjustable flow pump, flow adjusts by remote control

45009 - 2000-4000 Operates best at 5 to 11 feet of head, yields 2000-4000 gph **45010 - 4000-8000** Operates best at 8 to 16 feet of head, yields 4000-8000 gph



TSURUMI PUMPS

29975 3PL - 3000 pump 3000 GPH 29976 5PL - 5000 pump 5000 GPH 29977 9PL - 7000 pump 7000 GPH 29495 8PN - 5500 pump 5500 GPH 30391 12PN - 10,000 pump 10,000 GPH



AQUASCAPE PRO PUMPS

20002 - 3000 pump 2900 GPH 20003- 4500 pump 4500 GPH 20004 - 7500 pump 6700 GPH 20006 - 1000 pump 10600 GPH

POND & PONDLESS WATERFALL KITS



53033 SMALL POND KIT

Kit includes 12'x15' liner and underlayment, skimmer, BioFalls®, BioFalls® rock tray, BioFalls® filter media, AquaSurge® 3000 Pond Pump, 1.5" x 25' Flex PVC pipe, automatic water treatment dosing system, installation kit

2 53034 11'X16' MEDIUM POND KIT

Kit includes 15'x20' liner and underlayment, skimmer, BioFalls[®], BioFalls[®] rock tray, BioFalls[®] filter media, AquaSurge[®] 2000-4000 Pond Pump, 2" x 25' Flex PVC pipe, automatic water treatment dosing system, LED lighting package, installation kit

3 53036 21'X26' LARGE POND KIT

Kit includes 25'x30' liner and underlayment, skimmer, BioFalls®, BioFalls® rock tray, BioFalls® filter media, AquaSurge® 4000-8000 Pond Pump, 2"x 50' Flex PVC pipe, automatic water treatment dosing system, LED lighting package, installation kit

4 53038 SMALL PONDLESS KIT 6' STREAM

Kit includes waterfall spillway, pondless waterfall vault, 3 small Aquablox[®], 10'x10' liner and underlayment, AquaSurge[®] 2000-4000 Pond Pump, 1.5" x 25' Flex PVC pipe, automatic water treatment dosing system, installation kit

5 53039 MEDIUM PONDLESS KIT 16' STREAM

Kit includes waterfall spillway, pondless waterfall vault, 5 small Aquablox[®], 10'x12' liner and underlayment, AquaSurge[®] 2000-4000 Pond Pump, 2" x 25' Flex PVC pipe, automatic water treatment dosing system, LED lighting package, installation kit

6 53041 LARGE PONDLESS KIT 26' STREAM

Kit includes waterfall spillway, pondless waterfall vault, 5 large Aquablox[®], 10'x15' liner and underlayment, AquaSurge[®] 4000-8000 Pond Pump, 2" x 50' Flex PVC pipe, automatic water treatment dosing system, LED lighting package, installation kit



OUTDOOR KITCHENS



Summerset[®] Professional Grills offers a complete line of commercial grade stainless steel barbecue grills. Whether you're looking for a simple, clean, entry-level grill like the Sizzler, a heavy-duty grill that supports charcoal, lump coal, and wood chunks like the AMG, or something in between—we have it all.





SIZZLER SERIES

The Sizzler Series is a premium product at an unbeatable price. Constructed in all #443 stainless steel and designed with careful precision to ensure optimal airflow and even heating, this grill gives its higherpriced competitors a run for their money in both durability and grilling performance. Available in 26", 32", and 40".



ALTURI[™] SERIES

The Alturi[™] Series can be summed up in one word – luxury. Designed with elegance, fueled with raw power and loaded with every feature, this grill sets the bar for luxury outdoor cooking. Details like the anglemounted interior lights, rotisserie storage and spring-assisted hood provide ultimate convenience. Available in 30", 36", and 42".



AMERICAN MUSCLE GRILL

Charcoal, lump charcoal, wood chunks, natural gas, liquid propane – all of it! With the American Muscle Grill, get the flexibility of a multi-fuel chameleon with the raw power of a champion that outclasses any of its single-fuel challengers. It offers a multi-fuel tray system and a robust 110,000 BTUs of grilling horsepower. Available in 36" and 54".



SIDE BURNER

Stainless steel construction, heavy stainless steel grates, and up to 60,000 BTUs of power. Available for all grill styles.

2 2-DRAWER & ACCESS DOOR COMBO (30", 33", 36", 42")

Commercial grade stainless steel combos

3 DOUBLE ACCESS DOOR (26"-45")

Made with commercial grade stainless steel, heavy-duty flanges, reversible door mounting, and magnetic latches.

4 STORAGE DRAWERS

Commercial grade stainless steel, heavy-duty flanges and soft closing drawers



OUTDOOR KITCHENS



Memphis Grills take wood fire grilling to a new level, combining the great flavor of wood fire cooking with the ease and versatility of premier kitchen appliances. Fueled by 100% natural wood pellets, their exclusive one-touch ITC[™] Intelligent Temperature Control automatically maintains the desired temperature just like an indoor oven. Meanwhile, one of three digital food probes can measure the internal temperature of food ensuring that it's done to perfection. There's even a free Memphis app to check or adjust temps even when you're away from home.



WOOD FIRE GRILLS

These grills use 100% natural wood pellets as fuel instead of the traditional propane or charcoal. It imparts a highly sought after flavor that enhances the taste of nearly everything you cook on it. A 20lb bag of pellets last just as long and costs about the same as a traditional tank of propane. They're 100% natural, healthy and more efficient than charcoal.





BEALE STREET GRILLS

Beale Street offers the versatility of the Memphis flagship brand at a price point that fits most budgets.

- Smoke, grill, bake, sear, and roast
- Convection oven cooking
- 180 to 550 degrees Fahrenheit
- Cooking surfaces 558 to 817 square inches
- Cloud based Wi-Fi
- 12lb pellet hopper capacity
- Cabinet for storage
- Open flame option



DECORATIVE PANELS







OUTDECO OUTDOOR DECORATIVE PANELS

OUTDECO Decorative Modular Panels are the key to transforming the style and character of your outdoor or indoor environment. Available in two sizes, three privacy levels, and a myriad of beautiful patterns ranging from natural to geometric. OUTDECO panels offer endless possibilities for outdoor and indoor installations. Choose these panels for many reasons:

- 1. DURABILITY: OUTDECO's unique hardwood board contains 97% fiber, making it termite resistant, more stable than natural kiln-dried hardwood timbers, and denser and harder than MDF. Their panels carry a 10-year limited warranty against material rot, bloat, or delamination.
- 2. WORKABILITY: The hardwood utilized in OUTDECO Decorative Modular Panel boards performs similarly to decking timber and can be trimmed and fabricated as per lumber. The core material of all OUTDECO panels is specifically engineered for outdoor vertical cladding and is easily mounted and installed.
- **3. SUSTAINABILITY:** OUTDECO panel substrates contain none of the noxious synthetic additives found in other composite boards. Sourced from certified new-growth tracts and milled with no carbon footprint, the core of OUTDECO products is 97% hardwood fiber comprised of tailings and usable timber that otherwise would be wasted.
- 4. **DESIGNABILITY:** These panels can be repetitively 'tiled' in landscape or portrait configurations to create a variety of installation sizes and architectural effects. For an aesthetic that complements your space design, panels can be left unfinished to weather to their natural patina, or finished with a stain or paint of your choice



USADSLS1 Leafstream 60% Privacy 24"x48"



USADSMJ1 Mahjong 60% Privacy 24"x48"



USADSHE1 Herringbone 80% Privacy 24"x48"



80% Privacy

24"x48"



USADSWM1 Wooloomai 80% Privacy 24"x48"



USADSCM1 Cumulus 90% Privacy 24"x48"



OUTDOOR SPEAKERS



SONANCE BEYOND SOUND





Sonance offers a complete outdoor landscape sound system with flexibility for configurations of four satellite speakers and one subwoofer or up to 8 satellite speakers and two subwoofers.

- Perfectly even coverage for comfortable listening in areas up to 1,000 square feet and up to 2,500 square feet.
- Compatible with Sonance 19" stake, tree mount, and surface mount accessories
- Complete 4.1 System configuration on a single two-channel amplifier
- Expandable for up to 8.2 configuration
- 8 Ohms impedance matched system, dual voice coil subwoofer



KIT INCLUDES:

- 4 Satellite Speakers
- 1 in-ground subwoofer
- 1 Sonance DSP amplifier



ROCK SPEAKERS

- Amazing performance in a rock form factor.
- Durable, corrosion-free and weather-resistant design can withstand exposure to UV, high heat, wind, rain, snow and splashing pool water. IPX4 rated.
- Two sizes and two colors to suit a variety of spaces and landscape designs.
- Rock subwoofer for increased bass response.



MARINER OUTDOOR SPEAKERS

- Sonance is pleased to introduce a completely redesigned Mariner line of outdoor loudspeakers. Improving every aspect of the all-weather loudspeaker, the new Mariner line offers best-in-class performance in a sleek contemporary cabinet.
- The award winning FastMount[®] bracket system has been updated to match the new aesthetic of the Mariner loudspeaker to ensure the ease of installation you have come to expect from the Mariner line of speakers



OUTDOOR FIRE FEATURES





The Warming Trends[®] patent pending CROSS**FIRE[®]** Brass Burner utilizes cutting-edge technology to produce a taller, brighter, fuller flame, replicating a natural, wood burning fire all while consuming less gas.

Made from corrosion resistant & sustainable brass, CROSS**FIRE®** Brass Burners will not rust & come with a lifetime warranty.

Warming Trends[®] specializes in: custom designs, fastest delivery lead times in the industry, and superior customer service.



READY-TO-FINISH KITS

Aluminum frames covered with concrete board, ready to be easily and quickly completed with your choice of media or veneer.

Available in rectangular, circular, square or octagon.



BURNERS

Made from corrosion resistant and sustainable brass, CROSSFIRE[™] Brass Burners will not rust and come with a lifetime warranty.

Available in many sizes and shapes to fit fire pits of all types.



UNIVERSAL PAVING KITS

Warming Trends Universal Paver kits include everything needed to complete your paver fire pit. They are specifically designed to work with a variety of name brand paver block kits.

Included in each kit:

- CROSSFIRE® Brass Burner
- Aluminum plate
- Flex Line Kit
- Key valve, key, and key extension
- Universal flexible installation collars



LANDSCAPE PRODUCTS

Fountains & Water Treatments, Artificial Turf, Drainage, Tools, Geo Ripper Trencher, Edging and Landscape Fabric, Fertilizer and Lawn Care Automatic Supply is equipped with supplies to help you complete all your landscaping jobs. Whether it's tools, drainage, or more - we are committed to ensuring a successful installation or application. Our knowledgeable sales staff is sure to provide the best service around.









J SERIES DECORATIVE FOUNTAINS

Kasco J Series Decorative Fountains give you the versatility, performance, and reliability you need. Ranging from 1/2HP to 7.5HP, there is a Kasco J Series Fountain perfect for any size pond or lake. Their corrosion and clog resistant technology offers reliability that is unparalleled by any other outdoor fountain brand. All J Series Fountains come with multiple nozzles that deliver elegant spray patterns.

VFX SERIES AERATING FOUNTAINS

Kasco VFX Series Aerating Fountains set the standard by which all aerating pond fountains are measured. These units deliver both superior oxygenation and aesthetic brilliance, making this a true dual-purpose fountain. As the leader in pond aeration, Kasco's VFX aerating fountains have been designed with their clog-resistant technology to ensure you are buying the most efficient unit on the market. Use the VFX Series in your pond, on the lake, in a landscaped water body, or even in industrial applications to help promote evaporation.

SUBSURFACE AERATION

Subsurface aeration can reduce pond muck, improve water guality, boost dissolved oxygen, eliminates thermocline and helps project fish in a pond. Aeration circulates and mixes water to eliminate stratified lavers of warmer, surface water and the colder, deeper water, to create an oxygen rich environment throughout your pond.



POND DYE

Shade and protect your pond from powerful UV rays, while enhancing natural color and beauty with pond dye colarant. Airmax offers 4 shades: Nature's Blue, Agua Blue, Twilight Blue, and Black DyeMond

Available in liquids, packets, and bacteria enhanced.





LED LIGHT KITS

Add optional LED lighting for beautiful night effects. Low energy cost. Choice of colored lenses.



ARTIFICIAL TURF

EASYTURF A FieldTurf Company

You may be surprised to hear about artificial turf in the Midwest - however, there are many applications for it here. And with EasyTurf, you know you're getting a high quality product. EasyTurf's UltimateGrass products have a proprietary, 100% permeable, non-absorbent backing. EasyTurf's backing drains 10 times faster than natural grass and better than any other synthetic turf surface available. Other turf surfaces can't effectively drain which can quickly leads to bacteria buildup and odor.





DOG RUNS

EasyTurf's artificial grass for pets contains innovative drainage capabilities, along with its realistic look and feel. Because of its artificial grass durability, EasyTurf has proven to stand up to the most challenging of pets and its low maintenance features make it easy to keep a beautiful, problem-free lawn last all year!



PLAYGROUNDS

EasyTurf's artificial grass provides a surface that is safer, cleaner, and more comfortable than any other synthetic turf out there. It also greatly reduces threats from grass allergies, insects and unwanted pests. It has met fall height requirement tests for up to 12 feet, and is extremely durable yet non-abrasive.



PUTTING GREENS

EasyTurf's putting greens deliver an authentic look and feel, giving you a true golfing experience right at home. EasyTurf is the highest quality provider of professional-grade backyard synthetic home putting greens, providing unparalleled realism in terms of surface quality and aesthetics.



HARD TO IRRIGATE AREAS

Around pools, hardscaped areas, and roof tops can be difficult places to irrigate and grass can be hard to maintain and keep green. These are areas where artificial turf may be a good option. Installation is easy and can save you a lot of work down the line.









9" CATCH BASINS

NDS-900 9"x9" Catch Basin, 2 openings

NDS-1200BKIT 9" x 9" Catch Basin kit (includes - basin, black grate, 1-outlet, 1-plug



9" GRATES

NDS-980 9" Square Grate, Black NDS-990 9" Square Grate, Green NDS-999 9" Square Grate, Gray NDS-981 9" Atrium Grate, Black NDS-991 9" Atrium Grate, Green



12" CATCH BASINS

NDS-1200 12"x12" Catch Basin, 2 openings

NDS-1203 12" x 12" Catch Basin, 3 openings

NDS-1204 12" x 12" Cacth Basin, 4 openings

NDS-1200BKIT 12" x 12" Catch Basin kit (includes - basin, black grate, 1-outlet, 1-plug



12" GRATES

NDS-1211 12" Square Grate, Black NDS-1212 12" Square Grate, Green NDS-1212S 12" Square Grate, Sand NDS-1213 12" Square Grate, Cast Iron NDS-1218 12" Botanical Decorative grate, black



NDS-241 2 ft. Channel Grate, Gray NDS-243 2 ft. Channel Grate, Black



18" CATCH BASINS

NDS-1884 18" One Piece Catch Basin, 4 openings

NDS-1800 18" Expandable Catch Basin, 2 openings

NDS-1804 18" Expandable Catch Basin, 4 openings



18" GRATES

NDS-1811 18" Square Grate, Black NDS-1812 18" Square Grate, Green NDS-1813 18" Square Grate, Cast Iron NDS-1881 18" Atrium Grate, Black



PRO SERIES CHANNEL

NDS-864 5" x 1 meter light traffic grate & channel drain kit (includes 1 end outlet & 1 end cap)



SPEE-D CHANNEL DRAIN

NDS-400 4 ft. Channel Drain, Gray NDS-400-10 10 ft. Channel Drain, Gray NDS-243 2 ft. Bottom Outlet with strainer, Gray



SPEE-D CHANNEL FITTINGS

NDS-247 Channel End Outlet, Gray

NDS-248 Channel Coupling, Gray NDS-249 3" & 4" Offset End Outlet





DRAINAGE







CORROGATED PIPE

4010100 4" Perforated 4510100 4" Plain (No Holes) 6010100 6" Perforated 6510100 6" Plain (No Holes) 4730100 4" w/sock 6730100 6" w/sock DTS1020 10" Culvert Pipe





EZFLOW FRENCH DRAIN

EZflow is an innovative gravel-free solution to traditional French drains.

- Increased capacity and a superior flow rate
- Installs without gravel, saving significant time
- 100+ year material lifespan

EZ-0701F 7" Mesh w/ 3" slotted pipe **EZ-1001F** 10" Mesh w/ 4" slotted pipe

SMOOTH WALL PIPE

BEP040D3034S 4" Solid 3034 Green **BEP060D3034S** 6" Solid 3034 Green **BEP040D2729S** 4" Solid 2729 White

SMOOTH WALL FITTINGS

	4 INCH	6 INCH
BEND	SDP22S040	SDP22S060
LONG TURN 90	SDP90LT040	SDP90LT060
SHORT TURN 90	SDP90V040	SDP90V060
TEE	SDPT040	SDPT060
WYE	SDPY040	SDPY060
ELL	DFE90S040	DFE90S060
DWNSPT ADAPTER	3″X4″X4″	SDPDSA344
COUPLER	SDPCP040	SDPCP64 (4"X6")



CORRUGATED FITTINGS

		4 INCH	6 INCH
	INTERNAL COUPLER	DTFC4	DTFC6
	COUPLER	0412AA	0612AA
	REDUCER NDS-451	0614AA	
	TEE	0421AA	0626AA
	WYE	0422AA	0622AA
	ELL	0490AA	0641AA
	PLUG (UNIV)	NDS-1206	NDS-1206
	OUTLET (UNIV)	NDS-1243	NDS-1266
	END CAP	0432AA	0667AA
	DWNSPT ADAPTER	0465AA	0664AA
:	NDS-421 Pon-U	n Emitter	



ADAPTER NDS-421 Pop-Up Emitter NDS-201 Spee-D Basin 2-Basin NDS-101 Spee-D Basin 1-Basin NDS-50 6" Round Grate



N-12 DUAL WALL PIPE 04110020IBDW Perforated drain tile 04150020IBDW Solid drain tile







ROUND POINT SHOVEL 16 Gauge # 2 / 9.5" x 11.5" Head

49450

3"TRENCHING SHOVEL 47" wood handle, 11 gauge steel,

35° angle



1

3 4" TRENCHING SHOVEL

47" wood handle, 11 gauge steel, 35° angle

89024

3" TRENCHING SHOVEL 48" yellow fiberglass handle, 11 gauge steel, 35° angle

89123

4" TRENCHING SHOVEL 48" yellow fiberglass handle, 11 gauge steel, 35° angle
89124

6 LIGHTING TRENCHER

All-Steel Landscape Lighting Trencher

49045

7 EZ OUT - ALL STEEL 1/2" & 3/4" - removes sprinkler risers

41250



HEAD TRIMMER

3.5" diameter sprinkler head trimmer - 5/8" steel handle

85423




Classic 30" meter key, 3/4" groove width

85450











MEASURING WHEEL

3' measuring wheel with folding design & telescoping handle

85703

11 4' FIBERGLASS TILE PROBE

Cast metal pointed tip, T-cushion grip **85465**



Fiberglass 1/2" shaft, 3/4" nylon placer tip, handle end caps

85468

13 SOD TAMPER

8" x 8" heavy duty steel head, 48" all-steel handle, 12" double dip grip **85008**

14 ADJUSTABLE WRENCH

Snap pins to square steels, 3'-5' steel telescoping handle

85491



One-piece steel frame, steel with cushion grip, 15" flat-free knobby rubber tire

85731



17

DIGGING / WEEDING KNIFE W/ SHEATH

6.5" blade with tapered slicing edge, thumb rest, 4.5" comfort polymer handle

41042

BYPASS PRUNER

8" pruner, spring-open with steel latch

- 41406 3/4" capacity
- 41407 1" capacity



LANDSCAPE NECESSITIES









CONTRACTOR GRADE SILT FENCE

- 36" x 100'
- ERO79116



TREE WATERING BAGS

15-gallon tree watering bag provides drip irrigation directly to tree roots

LANTWB36



TREE STAKE KITS 15"

Includes non-girdling support and strap which can be removed and reused

LANRS15

PSS



TREE STAKE KITS 32" -WOODFN

Use with any ball and burlaped container or bare-root tree



STRAW BLANKETS

Available in single and double netted rolls



YARD CAMEL PORTABLE IRRIGATION SYSTEM

- Portable, multiple zone, timed watering system
- Complete with a controller, three valves and six zinc impact heads on zinc spikes
- Programmable, automated system runs for days or weeks unattended
- Requires no power source.

ERO79116





MINITRENCHER'S GEORIPPER

Say goodbye to traditional shovels and trenchers and experience the increased efficiency of MiniTrencher's GeoRipper. The GeoRipper is a portable, commercial handheld trencher that can be used alone or in conjunction with an EZ Kart. All GeoRippers are built with powerful two or four stroke engines by a brand you can trust, Makita.

- **INNOVATIVE:** SLR muffler recycles un-burned fuel vapor for up to 15% improved fuel consumption.
- **RELIABLE:** Start capacitor with start support function results in less pull start force.
- **CONVENIENT:** On-Off-Choke operation is on a single lever for operator convenience. •
- HIGH PERFORMER: Five stage filtration system with advanced directional air flow leads to better engine performance.

EDGING & LANDSCAPE FABRIC

EPIC PLASTICS DeWitt





1/8" x 4" x 16'

EDGING - BLACK

Residential and light commercial applications where greater flexibility is desired

SURE LOC ALUMINUM

SULA180416BP



SURE LOC STEEL EDGING -BLACK

- 1/8" x 4" x 16'
- Residential and light commercial applications where greater flexibility is desired



SULSIS180416B



- Packaged as (1) 20' strip with (4) 9" metal stakes and (1) 8" "C" connector
- Shipped 5 strips per bundle.

EDGMDC20



BENDA BOARD SYNTHETIC TURF EDGE

- 2" x 2" x 12'
- Made from 100% recycled plastic, provides a durable edging solution while retaining flexibility for creative landscape designs

EPC100048028



BENDA BOARD-REDWOOD

- 1" x 4" x 20'
- Made from 100% recycled plastic, provides a durable edging solution while retaining flexibility for creative landscape designs

EPCPB420B





PRO-5 WEED-BARRIER®

- 5 oz. woven, needle-punched, polypropylene fabric designed for professional and commercial use
- Striped every twelve inches to aid in plant alignment

LANP4 4' X 250' rolls LANP5 5' X 250' rolls



DEWITT WEED-BARRIER PRO BLACK (30Z)

UV and hydrophilic treated for water permeability

LANPROBLK6X300 6' X 300' rolls LANPROBLK4X300 4'X 300' rolls



NONWOVEN GEOTEXTILE FABRICS

Mirafi[®] 140N polypropylene fibers •

LANDN120M050X360 5' X 300' rolls



WOVEN GEOTEXTILE FABRIC

Durable polypropylene WEXWINFAB200 9'x600' rolls





FERTILIZER

- Pre-Emergents
- Poly Coated
- All Mineral
- Ammonium Sulfate
- Urea
- Starter
- Bio Solids
- Tree & Shrub



INSECTICIDES

- Mosquito
- Perimeter Pest
- Flea & Tick



HERBICIDES

- Bed Pre-emergents
- Post Emergent Non-selective Herbicides
- Post Emergent Selective Herbicides
- Tree & Shrub
- Turf & Grub



SPECIALTY PRODUCTS

- Plant growth regulators
- Carbon Applications
- Aquatics Applications
- : Wetting Agents



FUNGICIDES

- Preventative & Post Fungicides
- Turf
- Turf & Shrub



SEED

•

- Blue/Rye Mixes
- Turf Type Tall Fescue (TTTF)
- Perennial Ryegrass



SALT & ICE MELT

- Bulk & Bagged Rock Salt
- Bulk & Bagged Ice Melt
- Large variety of ice melts that melt snow and ice as low as -20°



BACKPACK SPRAYER

- 4 gallon
- No leak pump design
- 4 nozzles included

SPS190328

	7
ference 	2
CS	0

PUSH SPREADER

- 100lb hopper capacity
- Debris screen to keep clumps from clodding shut-off system
- 2-position adjustable handle

ERW2170







IRRIGATION PRODUCT LINES



Automatic Supply is the area's leading distributor for residential, commercial, and sports field irrigation products. We offer the broadest selection and deepest inventories of irrigation supplies and components from the leading brands.

















munro



R regencywire

















VATION®





As a major commitment to our customers, we have assembled Irrigation Design Source (IDS): a team of irrigation specialists dedicated to serving your irrigation needs. IDS can oversee all elements of your irrigation system's design and installation ensuring a qualified, efficient system. We design to fit your needs and budget, providing CAD files of construction documents and specifications.





DIRECT-TO-JOBSITE DELIVERY IS OUR SPECIALTY

Count on us to get you what you need, when you need it. Scheduled delivery service throughout Indiana and Kentucky. Prompt, professional and accurate. Call now to place your order.

LOCATIONS -

FISHERS

FORT WAYNE

GREENWOOD

116 Shadowlawn Drive Fishers, IN 46038 800-842-3911

2204 Research Drive Fort Wayne, IN 46808 888-490-1804 647A Sayre Court Greenwood, IN 46143 866-374-7948

INDIANAPOLIS

5232 W. 79th Street Indianapolis, IN 46268 463-219-0077

NEWBURGH

4877 B State Road 261 Newburgh, IN 47630 877-858-1809

AskAutomatic.com